

Bid Document (LB-1J/19)**Scope of Supply & Specification of 5 ltr.HDPE Jars****Scope of Supply :**

Supply of **4000 HDPE Jars of 5 ltr. capacity**, for edible oil filling , as per below mentioned specification, colour code and destination. For shape, sample may be seen in this office at any time during working hrs.

<u>Colour of Jar & Cap</u>	<u>Quantity</u>	<u>Destination</u>
1. Red Jar with Red Cap & WED	3000	Kota Project
2. Yellow Jar with Red Cap & WED	1000	Fatehnagar Project

Specification :

- 1 HDPE used for making Jars should be Food Grade, Odour free HDPE virgin material conforming to IS 10149 : 1982.
- 2 HDPE Jar must confirm to BIS specification no. IS 15473 for blow moulded HDPE containers for packing of edible oil.
- 3 Colour and Code : The HDPE Jar and cap should confirm to the colour specified and should use Master Batches of Food Grade reputed make confirming to IS 9833 : 1981 to be use as mentioned below as per PANTONE SHADE CARD CODE also

<u>Colour of Jar & Cap</u>	<u>Pantone Shade Card Code</u>
Lemon Yellow 2554	- 114C
Red 5395	- 186C

- 4 The Weight of 5 ltr. Jar including insert and cap should be as under

a.	Jar size	: 5 ltr.
b.	Jar weight with tolerance in gms	: 210+/-3
c.	Cap weight in gms.	5
d.	Total weight of Jar including outer Cap in gms.	: 216+/-5
e.	Jar Capacity in ml.Brimful	: 5350
- 5 The Jars should not burst in the drop test
- 6 The Jars should be leakproof and suitable for hot sealing wherever required.
- 7 The Jars should be free from dust, insects & any other impurities objectionable in edible oil packing.
- 8 The colour of the Jar should be uniform and as per the colour specified and finalized by the Federation.
- 9 The shape of Jar and Cap and side handle should be as per the design, colour and specification mentioned.
- 10 On all the Bills, it is to be certified by the manufacturer that the material used for HDPE Jar is Food Grade and Jars are conforming to the BIS specification no. IS – 15473
- 11 The WAD should be printed with Tilam Logo and should be made from Food Grade material acceptable by concerned authority.
- 12 All testing parameters should be as per ASTM /Indian standards etc. COA including drop test and top load test with 40 to 50 kg. weight with Food Grade certificate issued by granule manufacture also.

General Manager



**RAJASTHAN RAJYA TILHAN UTPADAK SAHKARI SANGH LTD.
(TILAM SANGH) KOTA PROJECT**

RAWATBHATA ROAD, P.O. ENGINEERING COLLAGE, KOTA-324010 (RAJ.)
Phone No. : 0744-2471183 Fax : 2980159, Email : tilamsangh@gmail.com, GSTIN : 08AAAAR9285K1ZV

Annexure-1

Details of Bidder

1. Name of the Party/Firm :
2. Name of authorized person :
3. GSTIN :
4. Registered Address :
5. PAN :
6. E-mail ID :
7. Phone No./Mobile No. :

Certified that the information furnished above by me is true and correct to the best of my knowledge and belief. I understand that if anything is found false or incorrect, this bid shall be liable for rejection.

Signature of Bidder
with Name, Designation & Seal

Rate Quotation Form

Particulars	Quantity	Rate Per Jar, exclusive of GST, FOR respective Project	GST per Jar as applicable	Rate Per Jar, inclusive of GST, FOR respective Project
5 ltr. HDPE Jar(Red) for edible oil fillings, with Red cap and WED, as per mentioned specification, FOR Kota Project	3000			
5 ltr. HDPE Jar(Yellow) for edible oil fillings, with Red cap and WED, as per mentioned specification, FOR Fatehnagar Project	1000			

Signature of Bidder
With Name, Designation & Seal